



TEST REPORT

Nb 2024-S-10934

6

()

- 1.
- 2.
- 3.
- 4.
- 5.
- 6.
- 7.


1058 9

201108

E-mail pin-ce@pin-ce.com

021 33587967

021 33587969

| | | | |
|---|--------------|--|---|
| | | | |
| | | | / |
| / | / | | / |
| | | | / |
| | 68 | | 13524577023 |
| / | | | |
| | 2024 06 04 | | |
| | 1L | | |
| | | | |
| | 2024 06 04 | | 2024 06 08 |
| | GB 5749-2022 | | |
| | GB 5749-2022 | | |
| | | |  |
| | | | |

孟小林

孙凡凡

余清

: 2024-S-10934-1 [; 1]

| | | | | | |
|---|-------------------------------|------------------------|------|--------|--|
| 1 | CFU/mL | GB/T 5750.12-2023(4.1) | ≤100 | | |
| 2 | MPN/100mL | GB/T 5750.12-2023(5.1) | | | |
| 3 | () NTU | GB/T 5750.4-2023(5.1) | ≤1 | (0.5) | |
| 4 | (O₂) mg/L | GB/T 5750.7-2023(4.1) | ≤3 | 0.61 | |
| 5 | mg/L | GB/T 5750.11-2023(5.1) | / | 0.08 | |

--- --

: 2024-S-10934-2 [: 2]

1

CFU/mL

GB/T 5750.12-2023(4.1)

≤100

: 2024-S-10934-3

[: 3]

| | | | | |
|---|-------------------------------|------------------------|------|-----------|
| 1 | CFU/mL | GB/T 5750.12-2023(4.1) | ≤100 | |
| 2 | MPN/100mL | GB/T 5750.12-2023(5.1) | | |
| 3 | () NTU | GB/T 5750.4-2023(5.1) | ≤1 | (0.5) |
| 4 | (O₂) mg/L | GB/T 5750.7-2023(4.1) | ≤3 | 0.56 |
| 5 | mg/L | GB/T 5750.11-2023(5.1) | / | 0.08 |

: 2024-S-10934-4

[: 4]

| | | | | |
|---|-------------------------------|------------------------|------|-----------|
| 1 | CFU/mL | GB/T 5750.12-2023(4.1) | ≤100 | |
| 2 | MPN/100mL | GB/T 5750.12-2023(5.1) | | |
| 3 | () NTU | GB/T 5750.4-2023(5.1) | ≤1 | (0.5) |
| 4 | (O₂) mg/L | GB/T 5750.7-2023(4.1) | ≤3 | 0.69 |
| 5 | mg/L | GB/T 5750.11-2023(5.1) | / | 0.09 |

: 2024-S-10934-5

[: 5]

| | | | | |
|---|-------------------------------|------------------------|------|-----------|
| 1 | CFU/mL | GB/T 5750.12-2023(4.1) | ≤100 | |
| 2 | MPN/100mL | GB/T 5750.12-2023(5.1) | | |
| 3 | () NTU | GB/T 5750.4-2023(5.1) | ≤1 | (0.5) |
| 4 | (O₂) mg/L | GB/T 5750.7-2023(4.1) | ≤3 | 0.70 |
| 5 | mg/L | GB/T 5750.11-2023(5.1) | / | 0.08 |

: 2024-S-10934-6

[: 6]

| | | | | |
|---|-------------------------------|------------------------|------|-----------|
| 1 | CFU/mL | GB/T 5750.12-2023(4.1) | ≤100 | |
| 2 | MPN/100mL | GB/T 5750.12-2023(5.1) | | |
| 3 | () NTU | GB/T 5750.4-2023(5.1) | ≤1 | (0.5) |
| 4 | (O₂) mg/L | GB/T 5750.7-2023(4.1) | ≤3 | 0.72 |
| 5 | mg/L | GB/T 5750.11-2023(5.1) | / | 0.09 |

: 2024-S-10934-7 [: 2]

1 CFU/mL GB/T 5750.12-2023(4.1) ≤100

2 MPN/100mL GB/T D

: 2024-S-10934-8

[: 4]

| | | | | | |
|---|-------------------------------|------------------------|------|-----------|--|
| 1 | CFU/mL | GB/T 5750.12-2023(4.1) | ≤100 | | |
| 2 | MPN/100mL | GB/T 5750.12-2023(5.1) | | | |
| 3 | () NTU | GB/T 5750.4-2023(5.1) | ≤1 | (0.5) | |
| 4 | (O₂) mg/L | GB/T 5750.7-2023(4.1) | ≤3 | 0.64 | |
| 5 | mg/L | GB/T 5750.11-2023(5.1) | / | 0.08 | |

: 2024-S-10934-10

[: 2]

| | | | | |
|---|-------------------------------|------------------------|------|-----------|
| 1 | CFU/mL | GB/T 5750.12-2023(4.1) | ≤100 | |
| 2 | MPN/100mL | GB/T 5750.12-2023(5.1) | | |
| 3 | () NTU | GB/T 5750.4-2023(5.1) | ≤1 | (0.5) |
| 4 | (O₂) mg/L | GB/T 5750.7-2023(4.1) | ≤3 | 0.50 |
| 5 | mg/L | GB/T 5750.11-2023(5.1) | / | 0.08 |

: 2024-S-10934-11

[: 3]

| | | | | |
|---|-------------------------------|------------------------|------|-----------|
| 1 | CFU/mL | GB/T 5750.12-2023(4.1) | ≤100 | |
| 2 | MPN/100mL | GB/T 5750.12-2023(5.1) | | |
| 3 | () NTU | GB/T 5750.4-2023(5.1) | ≤1 | (0.5) |
| 4 | (O₂) mg/L | GB/T 5750.7-2023(4.1) | ≤3 | 0.54 |
| 5 | mg/L | GB/T 5750.11-2023(5.1) | / | 0.08 |

: 2024-S-10934-12

[: 1]

| | | | | |
|---|-------------------------------|------------------------|------|-----------|
| 1 | CFU/mL | GB/T 5750.12-2023(4.1) | ≤100 | |
| 2 | MPN/100mL | GB/T 5750.12-2023(5.1) | | |
| 3 | () NTU | GB/T 5750.4-2023(5.1) | ≤1 | (0.5) |
| 4 | (O₂) mg/L | GB/T 5750.7-2023(4.1) | ≤3 | 0.58 |
| 5 | mg/L | GB/T 5750.11-2023(5.1) | / | 0.08 |

: 2024-S-10934-13

[: 2]

| | | | | |
|---|-------------------------------|------------------------|------|-----------|
| 1 | CFU/mL | GB/T 5750.12-2023(4.1) | ≤100 | |
| 2 | MPN/100mL | GB/T 5750.12-2023(5.1) | | |
| 3 | () NTU | GB/T 5750.4-2023(5.1) | ≤1 | (0.5) |
| 4 | (O₂) mg/L | GB/T 5750.7-2023(4.1) | ≤3 | 0.51 |
| 5 | mg/L | GB/T 5750.11-2023(5.1) | / | 0.09 |

: 2024-S-10934-14

[: 3]

| | | | | |
|---|-------------------------------|------------------------|------|-----------|
| 1 | CFU/mL | GB/T 5750.12-2023(4.1) | ≤100 | |
| 2 | MPN/100mL | GB/T 5750.12-2023(5.1) | | |
| 3 | () NTU | GB/T 5750.4-2023(5.1) | ≤1 | (0.5) |
| 4 | (O₂) mg/L | GB/T 5750.7-2023(4.1) | ≤3 | 0.65 |
| 5 | mg/L | GB/T 5750.11-2023(5.1) | / | 0.08 |

: 2024-S-10934-16

[: 5]

| | | | | | |
|---|-------------------------------|------------------------|------|-----------|--|
| 1 | CFU/mL | GB/T 5750.12-2023(4.1) | ≤100 | | |
| 2 | MPN/100mL | GB/T 5750.12-2023(5.1) | | | |
| 3 | () NTU | GB/T 5750.4-2023(5.1) | ≤1 | (0.5) | |
| 4 | (O₂) mg/L | GB/T 5750.7-2023(4.1) | ≤3 | 0.53 | |
| 5 | mg/L | GB/T 5750.11-2023(5.1) | / | 0.09 | |

: 2024-S-10934-17

[:]

| | | | | | |
|---|-------------------------------|------------------------|------|-----------|--|
| 1 | CFU/mL | GB/T 5750.12-2023(4.1) | ≤100 | | |
| 2 | MPN/100mL | GB/T 5750.12-2023(5.1) | | | |
| 3 | () NTU | GB/T 5750.4-2023(5.1) | ≤1 | (0.5) | |
| 4 | (O₂) mg/L | GB/T 5750.7-2023(4.1) | ≤3 | 0.54 | |
| 5 | mg/L | GB/T 5750.11-2023(5.1) | / | 0.29 | |