


TEST REPORT

Nb 2024-S-15376

9 A

()



- 1.
- 2.
- 3.
- 4.
- 5.
- 6.
- 7.

"

"

"

"

1058 8 9 10

201108

E-mail: pin-ce@pin-ce.com

021 33587967

021 33587969

| | | | |
|---|--------------|--|-------------|
| | | | |
| | | | / |
| / | / | | / |
| | | | / |
| | 68 | | 15821951586 |
| | / | | |
| | 2024 09 03 | | |
| | 1L | | |
| | | | |
| | 2024 09 03 | | 2024 09 07 |
| | GB 5749-2022 | | |
| | GB 5749-2022 | | |
| | | | |

益子林

星之焔



: 2024-S-15376-1

[:]

| | | | | | |
|---|-------------------------|------------------------|-------|-----------|--|
| | | | | | |
| 1 | CFU/mL | GB/T 5750.12-2023(4.1) | ≤100 | 2 | |
| 2 | MPN/100mL | GB/T 5750.12-2023(5.1) | | | |
| 3 | () NTU | GB/T 5750.4-2023(5.1) | ≤1 | (0.5) | |
| 4 | (O ₂) mg/L | GB/T 5750.7-2023(4.1) | ≤3 | 0.56 | |
| 5 | mg/L | GB/T 5750.11-2023(5.1) | ≥0.05 | 0.08 | |

--- --



: 2024-S-15376-2

[:]

: 2024-S-15376-3 [:]

| | | | | | |
|---|-------------------------|------------------------|-------|-----------|--|
| | | | | | |
| 1 | CFU/mL | GB/T 5750.12-2023(4.1) | ≤100 | | |
| 2 | MPN/100mL | GB/T 5750.12-2023(5.1) | | | |
| 3 | () NTU | GB/T 5750.4-2023(5.1) | ≤1 | (0.5) | |
| 4 | (O ₂) mg/L | GB/T 5750.7-2023(4.1) | ≤3 | 0.61 | |
| 5 | mg/L | GB/T 5750.11-2023(5.1) | ≥0.05 | 0.08 | |

: 2024-S-15376-4 [:]

| | | | | | |
|---|--------------------------------------|------------------------|-------|-----------|--|
| 1 | CFU/mL | GB/T 5750.12-2023(4.1) | ≤100 | 2 | |
| 2 | MPN/100mL | GB/T 5750.12-2023(5.1) | | | |
| 3 | () NTU | GB/T 5750.4-2023(5.1) | ≤1 | (0.5) | |
| 4 | (O₂) mg/L | GB/T 5750.7-2023(4.1) | ≤3 | 0.71 | |
| 5 | mg/L | GB/T 5750.11-2023(5.1) | ≥0.05 | 0.08 | |

: 2024-S-15376-5

[:]

: 2024-S-15376-6

[:]

| | | | | | |
|---|-------------------------|------------------------|-------|-----------|--|
| | | | | | |
| 1 | CFU/mL | GB/T 5750.12-2023(4.1) | ≤100 | | |
| 2 | MPN/100mL | GB/T 5750.12-2023(5.1) | | | |
| 3 | () NTU | GB/T 5750.4-2023(5.1) | ≤1 | (0.5) | |
| 4 | (O ₂) mg/L | GB/T 5750.7-2023(4.1) | ≤3 | 0.80 | |
| 5 | mg/L | GB/T 5750.11-2023(5.1) | ≥0.05 | 0.09 | |



: 2024-S-15376-7 [: 3]

| | | | | | |
|---|-------------------------|------------------------|-------|-----------|--|
| | | | | | |
| 1 | CFU/mL | GB/T 5750.12-2023(4.1) | ≤100 | | |
| 2 | MPN/100mL | GB/T 5750.12-2023(5.1) | | | |
| 3 | () NTU | GB/T 5750.4-2023(5.1) | ≤1 | (0.5) | |
| 4 | (O ₂) mg/L | GB/T 5750.7-2023(4.1) | ≤3 | 0.82 | |
| 5 | mg/L | GB/T 5750.11-2023(5.1) | ≥0.05 | 0.09 | |

测

: 2024-S-15376-8 [: 4]

| | | | | | |
|---|-------------------------|------------------------|-------|-----------|--|
| | | | | | |
| 1 | CFU/mL | GB/T 5750.12-2023(4.1) | ≤100 | | |
| 2 | MPN/100mL | GB/T 5750.12-2023(5.1) | | | |
| 3 | () NTU | GB/T 5750.4-2023(5.1) | ≤1 | (0.5) | |
| 4 | (O ₂) mg/L | GB/T 5750.7-2023(4.1) | ≤3 | 0.64 | |
| 5 | mg/L | GB/T 5750.11-2023(5.1) | ≥0.05 | 0.08 | |

: 2024-S-15376-10

[: 2]

| | | | | | |
|---|-------------------------|------------------------|-------|-----------|--|
| | | | | | |
| 1 | CFU/mL | GB/T 5750.12-2023(4.1) | ≤100 | | |
| 2 | MPN/100mL | GB/T 5750.12-2023(5.1) | | | |
| 3 | () NTU | GB/T 5750.4-2023(5.1) | ≤1 | (0.5) | |
| 4 | (O ₂) mg/L | GB/T 5750.7-2023(4.1) | ≤3 | 0.74 | |
| 5 | mg/L | GB/T 5750.11-2023(5.1) | ≥0.05 | 0.08 | |

: 2024-S-15376-11 [: 1]

| | | | | | |
|---|-------------------------|------------------------|-------|-----------|--|
| | | | | | |
| 1 | CFU/mL | GB/T 5750.12-2023(4.1) | ≤100 | | |
| 2 | MPN/100mL | GB/T 5750.12-2023(5.1) | | | |
| 3 | () NTU | GB/T 5750.4-2023(5.1) | ≤1 | (0.5) | |
| 4 | (O ₂) mg/L | GB/T 5750.7-2023(4.1) | ≤3 | 0.67 | |
| 5 | mg/L | GB/T 5750.11-2023(5.1) | ≥0.05 | 0.08 | |

用

: 2024-S-15376-12 [: 2]

| | | | | | |
|---|-------------------------|------------------------|-------|-----------|--|
| | | | | | |
| 1 | CFU/mL | GB/T 5750.12-2023(4.1) | ≤100 | | |
| 2 | MPN/100mL | GB/T 5750.12-2023(5.1) | | | |
| 3 | () NTU | GB/T 5750.4-2023(5.1) | ≤1 | (0.5) | |
| 4 | (O ₂) mg/L | GB/T 5750.7-2023(4.1) | ≤3 | 0.80 | |
| 5 | mg/L | GB/T 5750.11-2023(5.1) | ≥0.05 | 0.08 | |

QTT

: 2024-S-15376-13 [: 3]

| | | | | | |
|---|-------------------------|------------------------|-------|--------|--|
| | | | | | |
| 1 | CFU/mL | GB/T 5750.12-2023(4.1) | ≤100 | | |
| 2 | MPN/100mL | GB/T 5750.12-2023(5.1) | | | |
| 3 | () NTU | GB/T 5750.4-2023(5.1) | ≤1 | (0.5) | |
| 4 | (O ₂) mg/L | GB/T 5750.7-2023(4.1) | ≤3 | 0.74 | |
| 5 | mg/L | GB/T 5750.11-2023(5.1) | ≥0.05 | 0.08 | |

: 2024-S-15376-14 [: 4]

| | | | | |
|---|-------------------------|------------------------|-------|-----------|
| 1 | CFU/mL | GB/T 5750.12-2023(4.1) | ≤100 | 2 |
| 2 | MPN/100mL | GB/T 5750.12-2023(5.1) | | |
| 3 | () NTU | GB/T 5750.4-2023(5.1) | ≤1 | (0.5) |
| 4 | (O ₂) mg/L | GB/T 5750.7-2023(4.1) | ≤3 | 0.64 |
| 5 | mg/L | GB/T 5750.11-2023(5.1) | ≥0.05 | 0.09 |

: 2024-S-15376-15 [: 5]

| | | | | | |
|---|--------------------------------------|------------------------|-------|-----------|--|
| | | | | | |
| 1 | CFU/mL | GB/T 5750.12-2023(4.1) | ≤100 | 1 | |
| 2 | MPN/100mL | GB/T 5750.12-2023(5.1) | | | |
| 3 | () NTU | GB/T 5750.4-2023(5.1) | ≤1 | (0.5) | |
| 4 | (O₂) mg/L | GB/T 5750.7-2023(4.1) | ≤3 | 0.75 | |
| 5 | mg/L | GB/T 5750.11-2023(5.1) | ≥0.05 | 0.09 | |



2024-S-15376-16

[:]

| | | | | | |
|---|-------------------------|------------------------|-------|-----------|--|
| | | | | | |
| 1 | CFU/mL | GB/T 5750.12-2023(4.1) | ≤100 | | |
| 2 | MPN/100mL | GB/T 5750.12-2023(5.1) | | | |
| 3 | () NTU | GB/T 5750.4-2023(5.1) | ≤1 | (0.5) | |
| 4 | (O ₂) mg/L | GB/T 5750.7-2023(4.1) | ≤3 | 0.69 | |
| 5 | mg/L | GB/T 5750.11-2023(5.1) | ≥0.05 | 0.28 | |

