



1.
2
3
4
5
6
7.

"

"

"

"


1058 8 9 10

201108

E-mail pin-ce@pin-ce.com

021 33587967

021 33587969

			/
/	/		/
			/
	68		13524577023
	/		
	2024 09 03		
	1L		
	2024 09 03		2024 09 07
	GB 5749-2022		
	GB 5749-2022		
	 2024 09 07		

益子林

王力娟



: 2024-S-15361-1

[: 1]

1	CFU/mL	GB/T 5750.12-2023(4.1)	≤100		
2	MPN/100mL	GB/T 5750.12-2023(5.1)			
3	() NTU	GB/T 5750.4-2023(5.1)	≤1	(0.5)	
4	(O ₂) mg/L	GB/T 5750.7-2023(4.1)	≤3	0.56	
5	mg/L	GB/T 5750.11-2023(5.1)	≥0.05	0.08	

--- --



: 2024-S-15361-2

[: 2]

1	CFU/mL	GB/T 5750.12-2023(4.1)	≤100		
2	MPN/100mL	GB/T 5750.12-2023(5.1)			
3	() NTU	GB/T 5750.4-2023(5.1)	≤1	(0.5)	
4	(O ₂) mg/L	GB/T 5750.7-2023(4.1)	≤3	0.69	
5	mg/L	GB/T 5750.11-2023(5.1)	≥0.05	0.08	

國 家 廣 告

: 2024-S-15361-3

[: 3]

1	CFU/mL	GB/T 5750.12-2023(4.1)	≤100	1	
2	MPN/100mL	GB/T 5750.12-2023(5.1)			
3	() NTU	GB/T 5750.4-2023(5.1)	≤1	(0.5)	
4	(O ₂) mg/L	GB/T 5750.7-2023(4.1)	≤3	0.63	
5	mg/L	GB/T 5750.11-2023(5.1)	≥0.05	0.08	

: 2024-S-15361-4

[: 4]

1	CFU/mL	GB/T 5750.12-2023(4.1)	≤100		
2	MPN/100mL	GB/T 5750.12-2023(5.1)			
3	() NTU	GB/T 5750.4-2023(5.1)	≤1	(0.5)	
4	(O ₂) mg/L	GB/T 5750.7-2023(4.1)	≤3	0.77	
5	mg/L	GB/T 5750.11-2023(5.1)	≥0.05	0.08	

: 2024-S-15361-5

[: 5]

1	CFU/mL	GB/T 5750.12-2023(4.1)	≤100	1	
2	MPN/100mL	GB/T 5750.12-2023(5.1)			
3	() NTU	GB/T 5750.4-2023(5.1)	≤1	(0.5)	
4	(O ₂) mg/L	GB/T 5750.7-2023(4.1)	≤3	0.74	
5	mg/L	GB/T 5750.11-2023(5.1)	≥0.05	0.09	

: 2024-S-15361-6

[: 6]

1	CFU/mL	GB/T 5750.12-2023(4.1)	≤100		
2	MPN/100mL	GB/T 5750.12-2023(5.1)			
3	() NTU	GB/T 5750.4-2023(5.1)	≤1	(0.5)	
4	(O ₂) mg/L	GB/T 5750.7-2023(4.1)	≤3	0.66	
5	mg/L	GB/T 5750.11-2023(5.1)	≥0.05	0.09	

: 2024-S-15361-7

[: 2]

1	CFU/mL	GB/T 5750.12-2023(4.1)	≤100	2	
2	MPN/100mL	GB/T 5750.12-2023(5.1)			
3	() NTU	GB/T 5750.4-2023(5.1)	≤1	(0.5)	
4	(O ₂) mg/L	GB/T 5750.7-2023(4.1)	≤3	0.56	
5	mg/L	GB/T 5750.11-2023(5.1)	≥0.05	0.08	

: 2024-S-15361-8

[: 4]

1	CFU/mL	GB/T 5750.12-2023(4.1)	≤100		
2	MPN/100mL	GB/T 5750.12-2023(5.1)			
3	() NTU	GB/T 5750.4-2023(5.1)	≤1	(0.5)	
4	(O ₂) mg/L	GB/T 5750.7-2023(4.1)	≤3	0.64	
5	mg/L	GB/T 5750.11-2023(5.1)	≥0.05	0.09	

澳
时

: 2024-S-15361-9

[: 2]

1	CFU/mL	GB/T 5750.12-2023(4.1)	≤100		
2	MPN/100mL	GB/T 5750.12-2023(5.1)			
3	() NTU	GB/T 5750.4-2023(5.1)	≤1	(0.5)	
4	(O ₂) mg/L	GB/T 5750.7-2023(4.1)	≤3	0.75	
5	mg/L	GB/T 5750.11-2023(5.1)	≥0.05	0.08	

: 2024-S-15361-10

[: 2]

1	CFU/mL	GB/T 5750.12-2023(4.1)	≤100		
2	MPN/100mL	GB/T 5750.12-2023(5.1)			
3	() NTU	GB/T 5750.4-2023(5.1)	≤1	(0.5)	
4	(O ₂) mg/L	GB/T 5750.7-2023(4.1)	≤3	0.71	
5	mg/L	GB/T 5750.11-2023(5.1)	≥0.05	0.08	

: 2024-S-15361-11

[: 3]

1	CFU/mL	GB/T 5750.12-2023(4.1)	≤100	3	
2	MPN/100mL	GB/T 5750.12-2023(5.1)			
3	() NTU	GB/T 5750.4-2023(5.1)	≤1	(0.5)	
4	(O ₂) mg/L	GB/T 5750.7-2023(4.1)	≤3	0.81	
5	mg/L	GB/T 5750.11-2023(5.1)	≥0.05	0.07	

: 2024-S-15361-12

[: 1]

1	CFU/mL	GB/T 5750.12-2023(4.1)	≤100	2	
2	MPN/100mL	GB/T 5750.12-2023(5.1)			
3	() NTU	GB/T 5750.4-2023(5.1)	≤1	(0.5)	
4	(O ₂) mg/L	GB/T 5750.7-2023(4.1)	≤3	0.82	
5	mg/L	GB/T 5750.11-2023(5.1)	≥0.05	0.08	

: 2024-S-15361-13

[: 2]

1	CFU/mL	GB/T 5750.12-2023(4.1)	≤100		
2	MPN/100mL	GB/T 5750.12-2023(5.1)			
3	() NTU	GB/T 5750.4-2023(5.1)	≤1	(0.5)	
4	(O ₂) mg/L	GB/T 5750.7-2023(4.1)	≤3	0.55	
5	mg/L	GB/T 5750.11-2023(5.1)	≥0.05	0.07	

: 2024-S-15361-14

[: 3]

1	CFU/mL	GB/T 5750.12-2023(4.1)	≤100		
2	MPN/100mL	GB/T 5750.12-2023(5.1)			
3	() NTU	GB/T 5750.4-2023(5.1)	≤1	(0.5)	
4	(O ₂) mg/L	GB/T 5750.7-2023(4.1)	≤3	0.59	
5	mg/L	GB/T 5750.11-2023(5.1)	≥0.05	0.09	

: 2024-S-15361-15

[: 4]

1	CFU/mL	GB/T 5750.12-2023(4.1)	≤100		
2	MPN/100mL	GB/T 5750.12-2023(5.1)			
3	() NTU	GB/T 5750.4-2023(5.1)	≤1	(0.5)	
4	(O ₂) mg/L	GB/T 5750.7-2023(4.1)	≤3	0.69	
5	mg/L	GB/T 5750.11-2023(5.1)	≥0.05	0.08	

W 11 4

: 2024-S-15361-16

[: 5]

1	CFU/mL	GB/T 5750.12-2023(4.1)	≤100	94	
2	MPN/100mL	GB/T 5750.12-2023(5.1)			
3	() NTU	GB/T 5750.4-2023(5.1)	≤1	(0.5)	
4	(O ₂) mg/L	GB/T 5750.7-2023(4.1)	≤3	0.80	
5	mg/L	GB/T 5750.11-2023(5.1)	≥0.05	0.09	

: 2024-S-15361-17

[:]

1	CFU/mL	GB/T 5750.12-2023(4.1)	≤100	95	
2	MPN/100mL	GB/T 5750.12-2023(5.1)			
3	() NTU	GB/T 5750.4-2023(5.1)	≤1	(0.5)	
4	(O ₂) mg/L	GB/T 5750.7-2023(4.1)	≤3	0.71	
5	mg/L	GB/T 5750.11-2023(5.1)	≥0.05	0.29	

