

			/
/	/		/
			/
	68		13524577023
	/		
	2024 08 21		
	1L		
	2024 08 21		2024 08 26
	GB 5749-2022		
	GB 5749-2022		
			
	2024 08 26		

益子林

星之焔

梁爱勇

: 2024-S-13323-1

[: 1]

1	CFU/mL	GB/T 5750.12-2023(4.1)	100	5	
2	MPN/100mL	GB/T 5750.12-2023(5.1)			
3	()	GB/T 5750.4-2023(4)	15	(5)	
4	() NTU	GB/T 5750.4-2023(5.1)	1	(0.5)	
5		GB/T 5750.4-2023(6.1)			
6		GB/T 5750.4-2023(7)			
7	pH	GB/T 5750.4-2023(8.1)	6.5-8.5	7.32	
8	(O) mg/L	GB/T 5750.7-2023(4.1)	3	0.70	
9	mg/L	GB/T 5750.6-2023(9.4)	0.01	(0.00009)	
10	mg/L	GB/T 5750.6-2023(14.3)	0.01	0.000188	
11	mg/L	GB/T 5750.11-2023(5.1)	/	0.08	
12	mg/L	GB/T 5750.6-2023(7.6)	1.0	0.00124	
13	mg/L	GB/T 5750.6-2023(8.4)	1.0	0.0282	



: 2024-S-13323-2

[: 2]

1	CFU/mL	GB/T 5750.12-2023(4.1)	100	2	
2	MPN/100mL	GB/T 5750.12-2023(5.1)			
3	()	GB/T 5750.4-2023(4)	15	(5)	
4	() NTU	GB/T 5750.4-2023(5.1)	1	(0.5)	
5		GB/T 5750.4-2023(6.1)			
6		GB/T 5750.4-2023(7)			
7	pH	GB/T 5750.4-2023(8.1)	6.5-8.5	7.44	
8	(O) mg/L	GB/T 5750.7-2023(4.1)	3	0.63	
9	mg/L	GB/T 5750.6-2023(9.4)	0.01	0.0000973	
10	mg/L	GB/T 5750.6-2023(14.3)	0.01	0.000149	
11	mg/L	GB/T 5750.11-2023(5.1)	/	0.08	
12	mg/L	GB/T 5750.6-2023(7.6)	1.0	0.000816	
13	mg/L	GB/T 5750.6-2023(8.4)	1.0	0.00900	

廣州市廣生

: 2024-S-13323-3

[: 3]

1	CFU/mL	GB/T 5750.12-2023(4.1)	100	3	
2	MPN/100mL	GB/T 5750.12-2023(5.1)			
3	()	GB/T 5750.4-2023(4)	15	(5)	
4	() NTU	GB/T 5750.4-2023(5.1)	1	(0.5)	
5		GB/T 5750.4-2023(6.1)			
6		GB/T 5750.4-2023(7)			
7	pH	GB/T 5750.4-2023(8.1)	6.5-8.5	7.32	
8	(O) mg/L	GB/T 5750.7-2023(4.1)	3	0.67	
9	mg/L	GB/T 5750.6-2023(9.4)	0.01	0.000118	
10	mg/L	GB/T 5750.6-2023(14.3)	0.01	0.000161	
11	mg/L	GB/T 5750.11-2023(5.1)	/	0.08	
12	mg/L	GB/T 5750.6-2023(7.6)	1.0	0.000859	
13	mg/L	GB/T 5750.6-2023(8.4)	1.0	0.00885	

: 2024-S-13323-4

[: 4]

1	CFU/mL	GB/T 5750.12-2023(4.1)	100	1
2	MPN/100mL	GB/T 5750.12-2023(5.1)		
3	()	GB/T 5750.4-2023(4)	15	(5)
4	() NTU	GB/T 5750.4-2023(5.1)	1	(0.5)
5		GB/T 5750.4-2023(6.1)		
6		GB/T 5750.4-2023(7)		
/¥ 7	pH	GB/T 5750.4-2023(8)		



: 2024-S-13323-5 [: 5]

1	CFU/mL	GB/T 5750.12-2023(4.1)	100	2
2	MPN/100mL	GB/T 5750.12-2023(5.1)		
3	()	GB/T 5750.4-2023(4)	15	(5)
4	() NTU	GB/T 5750.4-2023(5.1)	1	(0.5)
5		GB/T 5750.4-2023(6.1)		
6		GB/T 5750.4-2023(7)		
7	pH	GB/T 5750.4-2023(8.1)	6.5-8.5	7.35
8	(O) mg/L	GB/T 5750.7-2023(4.1)	3	0.72
9	mg/L	GB/T 5750.6-2023(9.4)	0.01	(0.00009)
10	mg/L	GB/T 5750.6-2023(14.3)	0.01	(0.00007)
11	mg/L	GB/T 5750.11-2023(5.1)	/	0.08
12	mg/L	GB/T 5750.6-2023(7.6)		

: 2024-S-13323-6

[: 6]

1	CFU/mL	GB/T 5750.12-2023(4.1)	100	2	
2	MPN/100mL	GB/T 5750.12-2023(5.1)			
3	()	GB/T 5750.4-2023(4)	15	(5)	
4	() NTU	GB/T 5750.4-2023(5.1)	1	(0.5)	
5		GB/T 5750.4-2023(6.1)			
6		GB/T 5750.4-2023(7)			
7	pH	GB/T 5750.4-2023(8.1)	6.5-8.5	7.40	
8	(O) mg/L	GB/T 5750.7-2023(4.1)	3	0.55	
9	mg/L	GB/T 5750.6-2023(9.4)	0.01	(0.00009)	
10	mg/L	GB/T 5750.6-2023(14.3)	0.01	(0.00007)	
11	mg/L	GB/T 5750.11-2023(5.1)	/	0.09	
12	mg/L	GB/T 5750.6-2023(7.6)	1.0	0.000589	
13	mg/L	GB/T 5750.6-2023(8.4)	1.0	0.0261	

: 2024-S-13323-7

[: 2]

1	CFU/mL	GB/T 5750.12-2023(4.1)	100	2	
2	MPN/100mL	GB/T 5750.12-2023(5.1)			
3	()	GB/T 5750.4-2023(4)	15	(5)	
4	() NTU	GB/T 5750.4-2023(5.1)	1	(0.5)	
5		GB/T 5750.4-2023(6.1)			
6		GB/T 5750.4-2023(7)			
7	pH	GB/T 5750.4-2023(8.1)	6.5-8.5	7.42	
8	(O) mg/L	GB/T 5750.7-2023(4.1)	3	0.77	
9	mg/L	GB/T 5750.6-2023(9.4)	0.01	(0.00009)	
10	mg/L	GB/T 5750.6-2023(14.3)	0.01	(0.00007)	
11	mg/L	GB/T 5750.11-2023(5.1)	/	0.07	
12	mg/L	GB/T 5750.6-2023(7.6)	1.0	0.000615	
13	mg/L	GB/T 5750.6-2023(8.4)	1.0	0.0226	

: 2024-S-13323-8

[: 4]

1	CFU/mL	GB/T 5750.12-2023(4.1)	100		
2	MPN/100mL	GB/T 5750.12-2023(5.1)			
3	()	GB/T 5750.4-2023(4)	15	(5)	
4	() NTU	GB/T 5750.4-2023(5.1)	1	(0.5)	
5		GB/T 5750.4-2023(6.1)			
6		GB/T 5750.4-2023(7)			
7	pH	GB/T 5750.4-2023(8.1)	6.5-8.5	7.32	
8	(O) mg/L	GB/T 5750.7-2023(4.1)	3	0.74	
9	mg/L	GB/T 5750.6-2023(9.4)	0.01	(0.00009)	
10	mg/L	GB/T 5750.6-2023(14.3)	0.01	(0.00007)	
11	mg/L	GB/T 5750.11-2023(5.1)	/	0.08	
12	mg/L	GB/T 5750.6-2023(7.6)	1.0	0.000549	
13	mg/L	GB/T 5750.6-2023(8.4)	1.0	0.0186	

: 2024-S-13323-9

[: 2]

1	CFU/mL	GB/T 5750.12-2023(4.1)	100	3	
2	MPN/100mL	GB/T 5750.12-2023(5.1)			
3	()	GB/T 5750.4-2023(4)	15	(5)	
4	() NTU	GB/T 5750.4-2023(5.1)	1	(0.5)	
5		GB/T 5750.4-2023(6.1)			
6		GB/T 5750.4-2023(7)			
7	pH	GB/T 5750.4-2023(8.1)	6.5-8.5	7.40	
8	(O) mg/L	GB/T 5750.7-2023(4.1)	3	0.64	
9	mg/L	GB/T 5750.6-2023(9.4)	0.01	(0.00009)	
10	mg/L	GB/T 5750.6-2023(14.3)	0.01	0.000559	
11	mg/L	GB/T 5750.11-2023(5.1)	/	0.08	
12	mg/L	GB/T 5750.6-2023(7.6)	1.0	0.00218	
13	mg/L	GB/T 5750.6-2023(8.4)	1.0	0.0327	

: 2024-S-13323-10

[: 2]

1	CFU/mL	GB/T 5750.12-2023(4.1)	100		
2	MPN/100mL	GB/T 5750.12-2023(5.1)			
3	()	GB/T 5750.4-2023(4)	15	(5)	
4	() NTU	GB/T 5750.4-2023(5.1)	1	(0.5)	
5		GB/T 5750.4-2023(6.1)			
6		GB/T 5750.4-2023(7)			
7	pH	GB/T 5750.4-2023(8.1)	6.5-8.5	7.41	
8	(O) mg/L	GB/T 5750.7-2023(4.1)	3	0.66	
9	mg/L	GB/T 5750.6-2023(9.4)	0.01	(0.00009)	
10	mg/L	GB/T 5750.6-2023(14.3)	0.01	0.000103	
11	mg/L	GB/T 5750.11-2023(5.1)	/	0.08	
12	mg/L	GB/T 5750.6-2023(7.6)	1.0	0.00112	
13	mg/L	GB/T 5750.6-2023(8.4)	1.0	0.0356	



: 2024-S-13323-11

[: 3]

1	CFU/mL	GB/T 5750.12-2023(4.1)	100		
2	MPN/100mL	GB/T 5750.12-2023(5.1)			
3	()	GB/T 5750.4-2023(4)	15	(5)	
4	() NTU	GB/T 5750.4-2023(5.1)	1	(0.5)	
5		GB/T 5750.4-2023(6.1)			
6		GB/T 5750.4-2023(7)			
7	pH	GB/T 5750.4-2023(8.1)	6.5-8.5	7.37	
8	(O) mg/L	GB/T 5750.7-2023(4.1)	3	0.59	
9	mg/L	GB/T 5750.6-2023(9.4)	0.01	(0.00009)	
10	mg/L	GB/T 5750.6-2023(14.3)	0.01	0.000102	
11	mg/L	GB/T 5750.11-2023(5.1)	/	0.07	
12	mg/L	GB/T 5750.6-2023(7.6)	1.0	0.00110	
13	mg/L	GB/T 5750.6-2023(8.4)	1.0	0.0327	

用

: 2024-S-13323-12

[: 1]

1	CFU/mL	GB/T 5750.12-2023(4.1)	100		
2	MPN/100mL	GB/T 5750.12-2023(5.1)			
3	()	GB/T 5750.4-2023(4)	15	(5)	
4	() NTU	GB/T 5750.4-2023(5.1)	1	(0.5)	
5		GB/T 5750.4-2023(6.1)			
6		GB/T 5750.4-2023(7)			
7	pH	GB/T 5750.4-2023(8.1)	6.5-8.5	7.25	
8	(O) mg/L	GB/T 5750.7-2023(4.1)	3	0.71	
9	mg/L	GB/T 5750.6-2023(9.4)	0.01	(0.00009)	
10	mg/L	GB/T 5750.6-2023(14.3)	0.01	(0.00007)	
11	mg/L	GB/T 5750.11-2023(5.1)	/	0.08	
12	mg/L	GB/T 5750.6-2023(7.6)	1.0	0.000899	
13	mg/L	GB/T 5750.6-2023(8.4)	1.0	0.0225	

: 2024-S-13323-13

[: 2]

1	CFU/mL	GB/T 5750.12-2023(4.1)	100	4	
2	MPN/100mL	GB/T 5750.12-2023(5.1)			
3	()	GB/T 5750.4-2023(4)	15	(5)	
4	() NTU	GB/T 5750.4-2023(5.1)	1	(0.5)	
5		GB/T 5750.4-2023(6.1)			
6		GB/T 5750.4-2023(7)			
7	pH	GB/T 5750.4-2023(8.1)	6.5-8.5	7.30	
8	(O) mg/L	GB/T 5750.7-2023(4.1)	3	0.64	
9	mg/L	GB/T 5750.6-2023(9.4)	0.01	(0.00009)	
10	mg/L	GB/T 5750.6-2023(14.3)	0.01	0.0000807	
11	mg/L	GB/T 5750.11-2023(5.1)	/	0.08	
12	mg/L	GB/T 5750.6-2023(7.6)	1.0	0.000971	
13	mg/L	GB/T 5750.6-2023(8.4)	1.0	0.0147	

: 2024-S-13323-14

[: 3]

1	CFU/mL	GB/T 5750.12-2023(4.1)	100	1	
2	MPN/100mL	GB/T 5750.12-2023(5.1)			
3	()	GB/T 5750.4-2023(4)	15	(5)	
4	() NTU	GB/T 5750.4-2023(5.1)	1	(0.5)	
5		GB/T 5750.4-2023(6.1)			
6		GB/T 5750.4-2023(7)			
7	pH	GB/T 5750.4-2023(8.1)	6.5-8.5	7.33	
8	(O) mg/L	GB/T 5750.7-2023(4.1)	3	0.56	
9	mg/L	GB/T 5750.6-2023(9.4)	0.01	(0.00009)	
10	mg/L	GB/T 5750.6-2023(14.3)	0.01	0.000182	
11	mg/L	GB/T 5750.11-2023(5.1)	/	0.07	
12	mg/L	GB/T 5750.6-2023(7.6)	1.0	0.00141	
13	mg/L	GB/T 5750.6-2023(8.4)	1.0	0.0221	

: 2024-S-13323-15

[: 4]

1	CFU/mL	GB/T 5750.12-2023(4.1)	100	3
2	MPN/100mL	GB/T 5750.12-2023(5.1)		
3	()	GB/T 5750.4-2023(4)	15	(5)
4	() NTU	GB/T 5750.4-2023(5.1)	1	(0.5)
5		GB/T 5750.4-2023(6.1)		
6		GB/T 5750.4-2023(7)		
7	pH	GB/T 5		

: 2024-S-13323-16

[: 5]

1	CFU/mL	GB/T 5750.12-2023(4.1)	100	2	
2	MPN/100mL	GB/T 5750.12-2023(5.1)			
3	()	GB/T 5750.4-2023(4)	15	(5)	
4	() NTU	GB/T 5750.4-2023(5.1)	1	(0.5)	
5		GB/T 5750.4-2023(6.1)			
6		GB/T 5750.4-2023(7)			
7	pH	GB/T 5750.4-2023(8.1)	6.5-8.5	7.38	
8	(O) mg/L	GB/T 5750.7-2023(4.1)	3	0.80	
9	mg/L	GB/T 5750.6-2023(9.4)	0.01	(0.00009)	
10	mg/L	GB/T 5750.6-2023(14.3)	0.01	(0.00007)	
11	mg/L	GB/T 5750.11-2023(5.1)	/	0.08	
12	mg/L	GB/T 5750.6-2023(7.6)	1.0	0.00110	
13	mg/L	GB/T 5750.6-2023(8.4)	1.0	0.0301	

: 2024-S-13323-17

[:]

1	CFU/mL	GB/T 5750.12-2023(4.1)	100	7
2	MPN/100mL	GB/T 5750.12-2023(5.1)		
3	()	GB/T 5750.4-2023(4)	15	(5)
4	() NTU	GB/T 5750.4-2023(5.1)	1	(0.5)
5		GB/T 5750.4-2023(6.1)		
6		GB/T 5750.4-2023(7)		
7	pH	GB/T 5750.4-2023(8.1)	6.5-8.5	7.49
8	(O) mg/L	GB/T 5750.7-2023(4.1)	3	0.82
9	mg/L	GB/T 5750.6-2023(9.4)	0.01	(0.00009)
10	mg/L	GB/T 5750.6-2023(14.3)	0.01	(0.00007)
11	mg/L	GB/T 5750.11-2023(5.1)	/	0.28
12				