



TEST REPORT

Nb 2024-S-21137

11 A

()

: 2024-S-21137-1

[:]

1	CFU/mL	GB/T 5750.12-2023(4.1)	100	1	
2	MPN/100mL	GB/T 5750.12-2023(5.1)			
3	() NTU	GB/T 5750.4-2023(5.1)	1	(0.5)	
4	(O) mg/L	GB/T 5750.7-2023(4.1)	3	0.62	
5	mg/L	GB/T 5750.11-2023(5.1)	0.05	0.08	

--- --

...

: 2024-S-21137-2

[:]

1	CFU/mL	GB/T 5750.12-2023(4.1)	100		
2	MPN/100mL	GB/T 5750.12-2023(5.1)			
3	() NTU	GB/T 5750.4-2023(5.1)	1	(0.5)	
4	(O) mg/L	GB/T 5750.7-2023(4.1)	3	0.59	
5	mg/L	GB/T 5750.11-2023(5.1)	0.05	0.09	

--- --

TEST REPORT

: 2024-S-21137-3

[:]

1	CFU/mL	GB/T 5750.12-2023(4.1)	100		
2	MPN/100mL	GB/T 5750.12-2023(5.1)			
3	() NTU	GB/T 5750.4-2023(5.1)	1	(0.5)	
4	(O) mg/L	GB/T 5750.7-2023(4.1)	3	0.55	
5	mg/L	GB/T 5750.11-2023(5.1)	0.05	0.08	



: 2024-S-21137-4

[:]

1	CFU/mL	GB/T 5750.12-2023(4.1)	100		
2	MPN/100mL	GB/T 5750.12-2023(5.1)			
3	() NTU	GB/T 5750.4-2023(5.1)	1	(0.5)	
4	(O) mg/L	GB/T 5750.7-2023(4.1)	3	0.69	
5	mg/L	GB/T 5750.11-2023(5.1)	0.05	0.08	

: 2024-S-21137-5

[:]

1	CFU/mL	GB/T 5750.12-2023(4.1)	100	1	
2	MPN/100mL	GB/T 5750.12-2023(5.1)			
3	() NTU	GB/T 5750.4-2023(5.1)	1	(0.5)	
4	(O) mg/L	GB/T 5750.7-2023(4.1)	3	0.75	
5	mg/L	GB/T 5750.11-2023(5.1)	0.05	0.08	

水
样

: 2024-S-21137-6

[:]

1	CFU/mL	GB/T 5750.12-2023(4.1)	100		
2	MPN/100mL	GB/T 5750.12-2023(5.1)			
3	() NTU	GB/T 5750.4-2023(5.1)	1	(0.5)	
4	(O) mg/L	GB/T 5750.7-2023(4.1)	3	0.80	
5	mg/L	GB/T 5750.11-2023(5.1)	0.05	0.09	

: 2024-S-21137-7

[: 3]

1	CFU/mL	GB/T 5750.12-2023(4.1)	100		
2	MPN/100mL	GB/T 5750.12-2023(5.1)			
3	() NTU	GB/T 5750.4-2023(5.1)	1	(0.5)	
4	(O) mg/L	GB/T 5750.7-2023(4.1)	3	0.71	
5	mg/L	GB/T 5750.11-2023(5.1)	0.05	0.08	



: 2024-S-21137-8

[: 4]

1	CFU/mL	GB/T 5750.12-2023(4.1)	100		
2	MPN/100mL	GB/T 5750.12-2023(5.1)			
3	() NTU	GB/T 5750.4-2023(5.1)	1	(0.5)	
4	(O) mg/L	GB/T 5750.7-2023(4.1)	3	0.55	
5	mg/L	GB/T 5750.11-2023(5.1)	0.05	0.09	

: 2024-S-21137-9

[: 2]

1	CFU/mL	GB/T 5750.12-2023(4.1)	100		
2	MPN/100mL	GB/T 5750.12-2023(5.1)			
3	() NTU	GB/T 5750.4-2023(5.1)	1	(0.5)	
4	(O) mg/L	GB/T 5750.7-2023(4.1)	3	0.63	
5	mg/L	GB/T 5750.11-2023(5.1)	0.05	0.08	

: 2024-S-21137-10

[: 2]

1	CFU/mL	GB/T 5750.12-2023(4.1)	100		
2	MPN/100mL	GB/T 5750.12-2023(5.1)			
3	() NTU	GB/T 5750.4-2023(5.1)	1	(0.5)	
4	(O) mg/L	GB/T 5750.7-2023(4.1)	3	0.66	
5	mg/L	GB/T 5750.11-2023(5.1)	0.05	0.08	



: 2024-S-21137-11

[: 1]

1	CFU/mL	GB/T 5750.12-2023(4.1)	100	1	
2	MPN/100mL	GB/T 5750.12-2023(5.1)			
3	() NTU	GB/T 5750.4-2023(5.1)	1	(0.5)	
4	(O) mg/L	GB/T 5750.7-2023(4.1)	3	0.59	
5	mg/L	GB/T 5750.11-2023(5.1)	0.05	0.08	

: 2024-S-21137-12

[: 2]

1	CFU/mL	GB/T 5750.12-2023(4.1)	100	1	
2	MPN/100mL	GB/T 5750.12-2023(5.1)			
3	() NTU	GB/T 5750.4-2023(5.1)	1	(0.5)	
4	(O) mg/L	GB/T 5750.7-2023(4.1)	3	0.69	
5	mg/L	GB/T 5750.11-2023(5.1)	0.05	0.07	

QTT

: 2024-S-21137-13

[: 3]

1	CFU/mL	GB/T 5750.12-2023(4.1)	100	1	
2	MPN/100mL	GB/T 5750.12-2023(5.1)			
3	() NTU	GB/T 5750.4-2023(5.1)	1	(0.5)	
4	(O) mg/L	GB/T 5750.7-2023(4.1)	3	0.75	
5	mg/L	GB/T 5750.11-2023(5.1)	0.05	0.08	

: 2024-S-21137-14

[: 4]

1	CFU/mL	GB/T 5750.12-2023(4.1)	100	2	
2	MPN/100mL	GB/T 5750.12-2023(5.1)			
3	() NTU	GB/T 5750.4-2023(5.1)	1	(0.5)	
4	(O) mg/L	GB/T 5750.7-2023(4.1)	3	0.58	
5	mg/L	GB/T 5750.11-2023(5.1)	0.05	0.08	

12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100

: 2024-S-21137-15

[: 5]

1	CFU/mL	GB/T 5750.12-2023(4.1)	100	1	
2	MPN/100mL	GB/T 5750.12-2023(5.1)			
3	() NTU	GB/T 5750.4-2023(5.1)	1	(0.5)	
4	(O) mg/L	GB/T 5750.7-2023(4.1)	3	0.64	
5	mg/L	GB/T 5750.11-2023(5.1)	0.05	0.09	

H

: 2024-S-21137-16

[:]

1	CFU/mL	GB/T 5750.12-2023(4.1)	100	1	
2	MPN/100mL	GB/T 5750.12-2023(5.1)			
3	() NTU	GB/T 5750.4-2023(5.1)	1	(0.5)	
4	(O) mg/L	GB/T 5750.7-2023(4.1)	3	0.79	
5	mg/L	GB/T 5750.11-2023(5.1)	0.05	0.28	