



1. " "

2

3

4. "

"

5.

6

7.

1058 8 9 10

201108

E-mail [pin-ce@pin-ce.com](mailto:pin-ce@pin-ce.com)

021 33587967

021 33587969

			/
/	/		/
			/
	68		13524577023
	/		
	2025 01 03		
	1L		
	2025 01 03		2025 01 08
	GB 5749-2022		
	GB 5749-2022		

平银桃

附件2

河马局

: 2024-S-26629-1

[ : 1 ]

1	<b>CFU/mL</b>	GB/T 5750.12-2023(4.1)	100		
2	<b>MPN/100mL</b>	GB/T 5750.12-2023(5.1)			
3	( ) <b>NTU</b>	GB/T 5750.4-2023(5.1)	1	( 0.5)	
4	( <b>O</b> ) <b>mg/L</b>	GB/T 5750.7-2023(4.1)	3	0.70	
5	<b>mg/L</b>	GB/T 5750.11-2023(5.1)	0.05	0.08	

--- --



: 2024-S-26629-2

[ : 2 ]

1	<b>CFU/mL</b>	GB/T 5750.12-2023(4.1)	100		
2	<b>MPN/100mL</b>	GB/T 5750.12-2023(5.1)			
3	( ) <b>NTU</b>	GB/T 5750.4-2023(5.1)	1	( 0.5)	
4	( <b>O</b> ) <b>mg/L</b>	GB/T 5750.7-2023(4.1)	3	0.64	
5	<b>mg/L</b>	GB/T 5750.11-2023(5.1)	0.05	0.08	

---

--

: 2024-S-26629-3

[ : 3 ]

1	<b>CFU/mL</b>	GB/T 5750.12-2023(4.1)	100		
2	<b>MPN/100mL</b>	GB/T 5750.12-2023(5.1)			
3	( ) <b>NTU</b>	GB/T 5750.4-2023(5.1)	1	( 0.5)	
4	( <b>O</b> ) <b>mg/L</b>	GB/T 5750.7-2023(4.1)	3	0.55	
5	<b>mg/L</b>	GB/T 5750.11-2023(5.1)	0.05	0.08	

www.qtt.com.cn

: 2024-S-26629-4

[ : 4 ]

1	<b>CFU/mL</b>	GB/T 5750.12-2023(4.1)	100		
2	<b>MPN/100mL</b>	GB/T 5750.12-2023(5.1)			
3	( ) <b>NTU</b>	GB/T 5750.4-2023(5.1)	1	( 0.5)	
4	( <b>O</b> ) <b>mg/L</b>	GB/T 5750.7-2023(4.1)	3	0.68	
5	<b>mg/L</b>	GB/T 5750.11-2023(5.1)	0.05	0.09	

: 2024-S-26629-5

[ : 5 ]

1	<b>CFU/mL</b>	GB/T 5750.12-2023(4.1)	100		
2	<b>MPN/100mL</b>	GB/T 5750.12-2023(5.1)			
3	( ) <b>NTU</b>	GB/T 5750.4-2023(5.1)	1	( 0.5)	
4	( <b>O</b> ) <b>mg/L</b>	GB/T 5750.7-2023(4.1)	3	0.66	
5	<b>mg/L</b>	GB/T 5750.11-2023(5.1)	0.05	0.08	



: 2024-S-26629-6

[ : 6 ]

U

1

CFU/mL

: 2024-S-26629-7

[ : 2 ]

1	<b>CFU/mL</b>	GB/T 5750.12-2023(4.1)	100		
2	<b>MPN/100mL</b>	GB/T 5750.12-2023(5.1)			
3	( ) <b>NTU</b>	GB/T 5750.4-2023(5.1)	1	( 0.5)	
4	( <b>O</b> ) <b>mg/L</b>	GB/T 5750.7-2023(4.1)	3	0.76	
5	<b>mg/L</b>	GB/T 5750.11-2023(5.1)	0.05	0.08	

: 2024-S-26629-8

[ : 4 ]

1	<b>CFU/mL</b>	GB/T 5750.12-2023(4.1)	100		
2	<b>MPN/100mL</b>	GB/T 5750.12-2023(5.1)			
3	( ) <b>NTU</b>	GB/T 5750.4-2023(5.1)	1	( 0.5)	
4	( <b>O</b> ) <b>mg/L</b>	GB/T 5750.7-2023(4.1)	3	0.56	
5	<b>mg/L</b>	GB/T 5750.11-2023(5.1)	0.05	0.08	

: 2024-S-26629-9

[ : 2 ]

1	<b>CFU/mL</b>	GB/T 5750.12-2023(4.1)	100		
2	<b>MPN/100mL</b>	GB/T 5750.12-2023(5.1)			
3	( ) <b>NTU</b>	GB/T 5750.4-2023(5.1)	1	( 0.5)	
4	( <b>O</b> ) <b>mg/L</b>	GB/T 5750.7-2023(4.1)	3	0.72	
5	<b>mg/L</b>	GB/T 5750.11-2023(5.1)	0.05	0.08	

: 2024-S-26629-10

[ : 2 ]

1	<b>CFU/mL</b>	GB/T 5750.12-2023(4.1)	100	
2	<b>MPN/100mL</b>	GB/T 5750.12-2023(5.1)		
3	( ) <b>NTU</b>	GB/T 5750.4-2023(5.1)	1	( 0.5)
4				

: 2024-S-26629-11

[ : 3 ]

1	<b>CFU/mL</b>	GB/T 5750.12-2023(4.1)	100		
2	<b>MPN/100mL</b>	GB/T 5750.12-2023(5.1)			
3	( ) <b>NTU</b>	GB/T 5750.4-2023(5.1)	1	( 0.5)	
4	( <b>O</b> ) <b>mg/L</b>	GB/T 5750.7-2023(4.1)	3	0.64	
5	<b>mg/L</b>	GB/T 5750.11-2023(5.1)	0.05	0.08	

用

: 2024-S-26629-12

[ : 1 ]

1	<b>CFU/mL</b>	GB/T 5750.12-2023(4.1)	100		
2	<b>MPN/100mL</b>	GB/T 5750.12-2023(5.1)			
3	( ) <b>NTU</b>	GB/T 5750.4-2023(5.1)	1	( 0.5)	
4	( <b>O</b> ) <b>mg/L</b>	GB/T 5750.7-2023(4.1)	3	0.80	
5	<b>mg/L</b>	GB/T 5750.11-2023(5.1)	0.05	0.08	

封

: 2024-S-26629-13

[ : 2 ]

1	<b>CFU/mL</b>	GB/T 5750.12-2023(4.1)	100		
2	<b>MPN/100mL</b>	GB/T 5750.12-2023(5.1)			
3	( ) <b>NTU</b>	GB/T 5750.4-2023(5.1)	1	( 0.5)	
4	( <b>O</b> ) <b>mg/L</b>	GB/T 5750.7-2023(4.1)	3	0.69	
5	<b>mg/L</b>	GB/T 5750.11-2023(5.1)	0.05	0.08	



: 2024-S-26629-14

[ : 3 ]

1	<b>CFU/mL</b>	GB/T 5750.12-2023(4.1)	100		
2	<b>MPN/100mL</b>	GB/T 5750.12-2023(5.1)			
3	( ) <b>NTU</b>	GB/T 5750.4-2023(5.1)	1	( 0.5)	
4	( <b>O</b> ) <b>mg/L</b>	GB/T 5750.7-2023(4.1)	3	0.56	
5	<b>mg/L</b>	GB/T 5750.11-2023(5.1)	0.05	0.09	

14

: 2024-S-26629-15

[ : 4 ]

1	<b>CFU/mL</b>	GB/T 5750.12-2023(4.1)	100		
2	<b>MPN/100mL</b>	GB/T 5750.12-2023(5.1)			
3	( ) <b>NTU</b>	GB/T 5750.4-2023(5.1)	1	( 0.5)	
4	( <b>O</b> ) <b>mg/L</b>	GB/T 5750.7-2023(4.1)	3	0.76	
5	<b>mg/L</b>	GB/T 5750.11-2023(5.1)	0.05	0.09	

QTT

: 2024-S-26629-16

[ : 5 ]

1

: 2024-S-26629-17

[ : ]

1	<b>CFU/mL</b>	GB/T 5750.12-2023(4.1)	100		
2	<b>MPN/100mL</b>	GB/T 5750.12-2023(5.1)			
3	( ) <b>NTU</b>	GB/T 5750.4-2023(5.1)	1	( 0.5)	
4	( <b>O</b> ) <b>mg/L</b>	GB/T 5750.7-2023(4.1)	3	0.79	
5	<b>mg/L</b>	GB/T 5750.11-2023(5.1)	0.05	0.28	

